



03-29-05

1743  
800

Docket No. CDS-215

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicants : Randy K. Bower et al.  
Serial No. : 09/482,599 Art Unit: 1743  
Filed : January 13, 2000 Examiner: P.K. Bex  
For : FAILURE DETECTION IN AUTOMATED CLINICAL ANALYZERS

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on

March 28, 2005

(Date of Deposit)

Stacey B. Antar

(Name of applicant, assignee, or Registered Representative)

/Stacey B. Antar/

(Signature)

March 28, 2005

(Date of Signature)

Commissioner For Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**PETITION FOR EXTENSION OF TIME  
AND AUTHORIZATION TO CHARGE  
DEPOSIT ACCOUNT THEREFOR**

Dear Sir:

Applicant(s) petition(s) the Commissioner of Patents and Trademarks to extend the time for response to the Office Action dated 9/27/04 for Three(3) month(s) from 12/27/04 to 03/28/05. An Amendment responding to the aforesaid Office Action is being filed concurrently herewith.

Please charge Deposit Account No. 10-0750/CDS0215NP/TJB in the name of Johnson & Johnson for the cost of filing this Petition. Three copies of this Petition are enclosed.

Respectfully submitted,

/Stacey B. Antar/

Stacey B. Antar

Reg. No. 39,595

Attorney for Applicants

03/30/2005 HDEMESS1 00000071 100750 09482599

01 FC:1253 1020.00 DA

Johnson & Johnson  
One Johnson & Johnson Plaza  
New Brunswick, NJ 08933-7003  
(732) 524-1496  
DATED: March 28, 2005